


JOURNAL OF CONDENSED MATTER NUCLEAR SCIENCE

Experiments and Methods in Cold Fusion

**Proceedings of the ICCF 19 Conference, April
13–17, 2015, Padua, Italy**

VOLUME 19, June 2016



JOURNAL OF CONDENSED MATTER NUCLEAR SCIENCE

Experiments and Methods in Cold Fusion

Editor-in-Chief

Jean-Paul Biberian

Marseille, France

Editorial Board

Peter Hagelstein
MIT, USA

Xing Zhong Li
Tsinghua University, China

Edmund Storms
KivaLabs, LLC, USA

George Miley
*Fusion Studies Laboratory,
University of Illinois, USA*

Michael McKubre
SRI International, USA

JOURNAL OF CONDENSED MATTER NUCLEAR SCIENCE

Volume 19, June 2016

© 2016 ISCMNS. All rights reserved. ISSN 2227-3123

This journal and the individual contributions contained in it are protected under copyright by ISCMNS and the following terms and conditions apply.

Electronic usage or storage of data

JCMNS is an open-access scientific journal and no special permissions or fees are required to download for personal non-commercial use or for teaching purposes in an educational institution.

All other uses including printing, copying, distribution require the written consent of ISCMNS.


Permission of the ISCMNS and payment of a fee are required for photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery.

Permissions may be sought directly from ISCMNS, E-mail: CMNSEditor@iscmns.org. For further details you may also visit our web site: <http://www.iscmns.org/CMNS/>

Members of ISCMNS may reproduce the table of contents or prepare lists of articles for internal circulation within their institutions.

Orders, claims, author inquiries and journal inquiries

Please contact the Editor in Chief, CMNSEditor@iscmns.org or webmaster@iscmns.org



JOURNAL OF CONDENSED MATTER NUCLEAR SCIENCE

Volume 19

2016

CONTENTS


PREFACE

RESEARCH ARTICLES

- Effect of Cathode Pretreatment and Chemical Additives on H/D Absorption into Palladium via Electrochemical Permeation 1
Orchideh Azizi, Jinghao He, Dan T. Paterson, Arik El-Boher, Dennis Pease and Graham Hubler
- Calorimetric and Radiation Diagnostics of Water Solutions Under Intense Light Irradiation 10
Yu.N. Bazhutov, A.I. Gerasimova, V.V. Evmenenko, V.P. Koretskiy, A.G. Parkhomov and Yu.A. Sapozhnikov
- Yet Another LENR Theory: Electron-mediated Nuclear Reactions (EMNR) 17
Andrea Calaon
- Observation of Macroscopic Current and Thermal Anomalies, at High Temperature, by Hetero-structures in Thin and Long Constantan Wires Under H₂ Gas 29
Francesco Celani, A. Spallone, B. Ortenzi, S. Pella, E. Purchi, F. Santandrea, S. Fiorilla, A. Nuvoli, M. Nakamura, P. Cirilli, P. Boccanera and L. Notargiacomo
- Off-mass-shell Particles and LENR 46
Mark Davidson
- Quantum Tunneling in Breather ‘Nano-colliders’ 56
V.I. Dubinko
- Final Report on Calorimetry-based Excess Heat Trials using Celani Treated NiCuMn (Constantan) Wires 68
Arik El-Boher, William Isaacson, Orchideh Azizi, Jinghao He, Dennis Pease and Graham Hubler

Integrated Policymaking for Realizing Benefits and Mitigating Impacts of LENR <i>Thomas W. Grimshaw</i>	88
Current Status of the Theory and Modeling Effort based on Fractionation <i>Peter L. Hagelstein</i>	98
Seeking X-rays and Charge Emission from a Copper Foil Driven at MHz Frequencies <i>F.L. Tanzella, J. Bao, M.C.H. McKubre and P.L. Hagelstein</i>	110
The Launch of a New Plan on Condensed Matter Nuclear Science at Tohoku University <i>Yasuhiro Iwamura, Jirohta Kasagi, Hidetoshi Kikunaga, Hideki Yoshino, Takehiko Itoh, Masanao Hattori and Tadahiko Mizuno</i>	119
Pictorial Description for LENR in Linear Defects of a Lattice <i>J. Kasagi and Y. Honda</i>	127
Effect of Minority Atoms of Binary Ni-based Nano-composites on Anomalous Heat Evolution under Hydrogen Absorption <i>A. Kitamura, A. Takahashi, R. Seto, Y. Fujita, A. Taniike and Y. Furuyama</i>	135
High-energetic Nano-cluster Plasmoid and its Soft X-ray Radiation <i>A. Klimov, A. Grigorenko, A. Efimov, N. Evstigneev, O. Ryabkov, M. Sidorenko, A. Soloviev and B. Tolkunov</i>	145
Energy Release and Transmutation of Chemical Elements in Cold Heterogeneous Plasmoids <i>A. Klimov</i>	155
Lithium – An Important Additive in Condensed Matter Nuclear Science <i>Chang L. Liang, Zhan M. Dong, Yun P. Fu and Xing Z. Li</i>	164
LENR Anomalies in Pd–H ₂ Systems Submitted to Laser Stimulation <i>Ubaldo Mastromatteo</i>	173
Cold Fusion – CMNS – LENR; Past, Present and Projected Future Status <i>Michael C.H. McKubre</i>	183
Nature of the Deep-Dirac Levels <i>Andrew Meulenberg and Jean-Luc Paillet</i>	192

Basis for Femto-molecules and -Ions Created from Femto-atoms <i>Andrew Meulenber and Jean-Luc Paillet</i>	202
Excerpts From Martin Fleischmann Letters <i>Melvin H. Miles</i>	210
High Energy Density and Power Density Events in Lattice-enabled Nuclear Reaction Experiments and Generators <i>David J. Nagel and Alex E. Moser</i>	219
Basis for Electron Deep Orbits of the Hydrogen Atom <i>Jean-Luc Paillet and Andrew Meulenber</i>	230
Research into Heat Generators Similar to High-temperature Rossi Reactor <i>A.G. Parkhomov and E.O. Belousova</i>	244
Search for Low-energy X-ray and Particle Emissions from an Electrochemical Cell <i>Dennis Pease, Orchideh Azizi, Jinghao He, Arik El-Boher, Graham K. Hubler, Sango Bok, Cherian Mathai, Shubhra Gangopadhyay, Stefano Lecci and Vittorio Violante</i>	257
Investigation of Enhancement and Stimulation of DD-reaction Yields in Crystalline Deuterated Heterostructures at Low Energies using the HELIS Ion Accelerator <i>A.S. Rusetskiy, A.V. Bagulya, O.D. Dalkarov, M.A. Negodaev, A.P. Chubenko, B.F. Lyakhov, E.I. Saunin and V.G. Ralchenko</i>	264
The Center to Study Anomalous Heat Effects [AHE] at Texas Tech University <i>Tara A. Scarborough, Robert Duncan, Michael C.H. McKubre and Vittorio Violante</i>	274
Is the Abundance of Elements in Earth's Crust Correlated with LENR Transmutation Rates? <i>Felix Scholkmann and David J. Nagel</i>	281
Impact of Electrical Avalanche through a ZrO ₂ -NiD Nanostructured CF/LANR Component on its Incremental Excess Power Gain <i>Mitchell R. Swartz, Gayle Verner and Peter L. Hagelstein</i>	287
Fundamental of Rate Theory for CMNS <i>Akito Takahashi</i>	298
Theoretical Study of the Transmutation Reactions <i>T. Toimela</i>	316
Heat Production and RF Detection during Cathodic Polarization of Palladium in 0.1 M LiOD <i>Vittorio Violante, E. Castagna, S. Lecci, G. Pagano, M. Sansovini and F. Sarto</i>	319
Electromagnetic Emission in the kHz to GHz Range Associated with Heat Production During Electrochemical Loading of Deuterium into Palladium: A Summary and Analysis of Results Obtained by Different Research Groups <i>Felix Scholkmann, David J. Nagel and Louis F. DeChiaro</i>	325



Research Article

Integrated Policymaking for Realizing Benefits and Mitigating Impacts of LENR

Thomas W. Grimshaw*

Energy Institute, The University of Texas at Austin, Austin, TX, USA

Abstract

The potential benefits of LENR as a source of energy have been well understood since its announcement in 1989. The improved prospects of LENR in the past few years are indicated by the significant numbers and varied locations of researchers in several countries, a large body of accumulated evidence, major advances in explanation and theory development, and recent favourable occurrences, including a plethora of proposed energy-producing devices. The changing landscape creates policymaking opportunities for supporting LENR to realize its potential benefits, planning proactively to deal with anticipated adverse secondary impacts, and integrating the updates in a comprehensive policy program. The first policymaking opportunity, updates of current policies for LENR support, may best be accomplished in a framework of evidence-based policymaking. The level of evidence for the existence of LENR is at least a preponderance of evidence (greater than 50% probability). There may even be clear and convincing evidence (greater than 70%). Correspondingly, the policy response should be at least reinstatement and research comparable to other emerging energy technologies. Enhanced support, perhaps on a par with hot fusion, is indicated if there is clear and convincing evidence. The second policymaking opportunity related to LENR's changing landscape is to address potential adverse secondary impacts with proactive planning. Broad deployment of LENR for energy supply may be expected to have major secondary impacts as a disruptive technology. Direct impacts will take place on all phases of the energy chain – supply, transport, storage, and consumption. Indirect impacts will be felt most by the components of society that are closely tied to the energy cycle, such as sectors of the workforce and energy-based communities. Technology assessment is a mature and readily available methodology for identifying secondary impacts and developing mitigative measures. A third policymaking opportunity is to integrate LENR policy updates that are needed as demonstrated by its changing landscape. Policies for mitigating adverse secondary impacts, for example, can be formulated based on policies for LENR support and the resulting pace of its development and deployment. New and updated policies may also be integrated at the national and international level and between the public and private sectors. The public interest will be served by update and integration of LENR policies for its development and mitigating its impacts. However, many challenges must be overcome to achieve the update and integration objectives. The world desperately needs new sources of clean and inexpensive energy. The case of cold fusion would perhaps be a curiosity in the history of science if the stakes were not so high.

© 2016 ISCMNS. All rights reserved. ISSN 2227-3123

Keywords: Improved LENR prospects, Integrated LENR policies, LENR impact mitigation, LENR research policies, Potential LENR benefits

*E-mail: thomaswgrimshaw@gmail.com

1. Introduction

LENR presents major opportunities to enhance the public interest as a potential new source of cheap and clean energy. Its improved prospects in recent years have resulted in a need for updates in LENR policies. Policymaking opportunities are emerging in three main areas – supporting LENR to realize its potential benefits, planning proactively to deal with its anticipated adverse secondary impacts, and integrating the updates in a comprehensive policy program. The objectives of this paper are to:

- Review the changing landscape of LENR.
- Describe opportunities for updating policies for support of LENR development.
- Delineate potential policies for mitigating adverse secondary impacts.
- Analyze opportunities for integrating LENR policies both nationally and internationally.
- Summarize the benefits and challenges of achieving updated and integrated policies.

The case of cold fusion would perhaps be a curiosity in the history of science was the world not in such desperate need of new sources of clean and inexpensive energy.

2. The Changing Landscape of LENR

Improved LENR prospects are indicated by at least four lines of argument – the significant numbers and varied locations of researchers in several countries, the resulting large body of accumulated evidence, advances in theory development, and recent favorable events.

2.1. Continued research worldwide

Unlike most claims of new phenomena that are not accepted by mainstream science, LENR research was not discontinued after it was rejected. On the contrary, many investigators have continued to work in the field, resulting in a large body of evidence for LENR reality. For example, at least 50 investigators in nine countries (including the US, Italy, Japan, India, and China) have continued LENR research. An international LENR society, International Society of Condensed Matter Nuclear Science (ISCMNS), was formed a few years ago, and an affiliated journal dedicated to LENR research reporting (*J. Condensed Matter Nucl. Sci.*) is published quarterly. International conferences are held in countries around the world every 1–2 years, with a typical attendance of about 200. Nineteen conferences have been held since they were begun in 1990. Attendance at the latest conference in 2015, which took place in Italy, was nearly 600 [1]. A substantial community of LENR researchers and other interested parties has emerged. Its size is indicated by the CMNS Google Group, which was formed about 10 years ago and currently has over 300 participants.

Although the US Department of Energy has not provided leadership in LENR research, investigations continued at several other US agencies after the 1989 rejection. For example, the US National Aeronautics and Space Administration (NASA) has conducted research at both the Glenn and Langley research centers [2,3]. Elements of the US Department of Defense (DoD) have also continued research and related interests. Several components of the US Navy have also had active LENR research efforts. The US Naval Research Laboratory (NRL), for example, has been working on LENR since the field started in 1989. Other Navy organizations that have pursued LENR research and related activities are the US Space and Naval Warfare Systems Command (SPAWAR), US Naval Air Weapons Station (China Lake), and the US Naval Postgraduate School.

2.2. Large and growing body of evidence

The substantial research in LENR has resulted in a large accumulation of evidence for its reality. One indicator of this evidence is a website dedicated to collecting LENR publications (LENR-CANR.org), which has a bibliography

of more than 3500 journal papers and related items. As of January 2015, an estimated 3.2 million papers had been downloaded from the website [4].

Storms [5] has documented 380 papers reporting LENR just up to about 2007 as indicated by four signatures – anomalous heat (184 reports), tritium (61), transmutation (80), and radiation (55). Many more reports have been prepared in the subsequent years. Storms and Grimshaw [6] examined the evidence for LENR in relation to published criteria for distinguishing science from pseudoscience by Langmuir [7], Sagan [8], and Shermer [9]. Twenty-seven criteria were compiled, and LENR was examined in relation to each criterion. It was found that the criteria were satisfied, and it was concluded that LENR research is science and not pseudoscience.

2.3. Advances in theory development

Progress has also been made in developing an explanation of LENR. Many hypotheses have been advanced, but much remains to be done to converge on a full explanation. Two well-known examples are the hypotheses advanced by Peter Hagelstein of MIT and Edmund Storms, who is retired from Los Alamos National Laboratory.

Hagelstein [10] notes that LENR is indicated by the large amount of energy produced, the absence of expected chemical products, and the presence of expected amounts of new helium-4 in palladium deuteride experiments where LENR is observed. He observes that there appears to be no other conclusion besides a nuclear origin for the observations, but that there is a lack in LENR of the usual radiation signals that are used to study nuclear reactions. Hagelstein's hypothesis includes both conventional and new physics. In palladium deuteride systems reactions occur in vacancies in the lattice. The reactions involve fractionation of a large nuclear quantum combined with a coupling mechanism involving vibration and nuclei. Hagelstein utilizes the fundamental relativistic Hamiltonian in the explanation. The approach thus uses new concepts on a foundation of established physics.

Storms' hypothesis [11] proposes small sites, termed “nuclear active environments” (NAEs), that are located at or close to the surface rather than in the lattice, as is postulated by Hagelstein. These NAEs form in microcracks that are typically caused by stress relief in the material. Hydrogen ions migrate into the NAEs and form linear structures called “hydrotons”. Vibration of the ions in the hydroton results in nuclear reactions, with release of energy as photons that are absorbed in the lattice. The mechanism of the nuclear reactions in the hydroton has not yet been explained but would almost certainly involve new physics.

2.4. Recent developments

The case for LENR is strengthened by several recent occurrences in the field. One of the most significant of these was the emergence of research centers at several universities. The Sidney Kimmel Institute for Nuclear Renaissance (SKINR) was formed at the University of Missouri in 2012 to perform fundamental research aimed at discovery of the mechanisms of the anomalous heat effect, a term used for LENR. Experiments are performed in four areas – nuclear mechanism, general mechanism, solid state theory, and cathode development (for electrolytic cells) [12]. The Center for Emerging Energy Science (CEES) was founded at Texas Tech. University in 2015 to explore critical parameters in the observation of the anomalous heat effect [13]. The intent of its work is to gain fundamental understanding of the LENR mechanisms. A Condensed Matter Nuclear Reactions Division was also recently formed at Tohoku University in Sendai, Japan. Three purposes have been advanced for the Division – fundamental LENR research, development of a new energy generation method, and determination of a new approach for nuclear waste decontamination [14].

Further indication that cold fusion potential may be realized is the significant number of LENR-based devices that have been introduced in recent years. Although many of the claims have not been verified (and significant issues have been identified in some cases), the devices represent a high level of interest and activity that may signify a need for policy updates. One major example is Andrea Rossi's E-Cat (for “energy catalyzer”), which is apparently based on a

nickel–hydrogen setup. Several demonstrations of this device were held in 2011, culminating in a multiple-unit test in October 2011. About 2350 kWh of energy was reported for this test [15]. A three-part test of a high-temperature version of Rossi's device (E-Cat HT or "Hot Cat") was subsequently performed [16]. The first part of the test was not considered successful because the reactor melted before meaningful data could be obtained. The second test reportedly produced 195 kWh of energy. The third part was indicated to produce 95 kWh.

Another set of experiments, consisting of two phases, was subsequently performed with a different E-Cat design [17]. These experiments are frequently referred to as the "Lugano test" for the location in Switzerland where they were performed. During the 32-day test, 1.4 MWh of net energy was reported. The experiments also included analyses of the isotopes of in the energy-producing contents of the E-Cat. Observed shifts in the isotope composition before and after the tests were inferred to be the result of nuclear reactions. The large amounts of energy produced, high ratios of output to input power, and changes in isotope content were interpreted as evidence of LENR. It was announced in 2014 that the firm Industrial Heat had acquired partial rights to Rossi's E-Cat technology [18].

Investigation of devices apparently similar in design to the E-Cat has continued, notably in Russia and China. Parkhomov [19,20], a retired researcher from Lomonosov Moscow State University, reported experiments performed with two different but related designs. Both devices were configured to approximate the Lugano test of Rossi's E-Cat, but with significant differences, including the method of heat measurement. A principal conclusion was that the devices, described as "similar to (the) high-temperature Rossi heat generator ... produce more energy than they consume" above temperatures above about 1100°C. It was also concluded that the second device produced more than 40 kWh of excess energy.

Jiang is a retired researcher affiliated with the Ni–H Research Group at the China Institute of Atomic Energy in Beijing. His reactor design and materials are somewhat similar to those of Parkhomov with a setup approximating the Lugano test [21]. The experiment was apparently performed for over 12 h, during which 600 W of excess heat was observed for a portion of that time. The reported ratio of the 600 W to the input power of 780 W was 0.77. Jiang concluded that "the origin of excess heat cannot be explained by chemical energy".

JET Energy, Inc. has conducted LENR research with two types of devices called the NANOR and PHUSOR [22], both of which utilize deuterium. The PHUSOR is an aqueous configuration that uses palladium or nickel with the deuterium. The NANOR is non-aqueous and uses nano-scale particles consisting mainly of palladium, zirconium, and nickel [23]. JET Energy maintains close collaboration with the Energy Production and Conversion Group at MIT [24].

Brillouin Energy [25] has developed LENR-based technology for energy production using hydrogen and nickel (or other metal with appropriate properties). The technology is referred to as "Controlled Electron Capture Reaction" (CECR). Hydrogen is brought into contact with nickel, and reactions are stimulated with electromagnetic pulses. The energy is reported to be in the form of heat that is absorbed by the metal and captured for beneficial use. An apparently updated version of the Brillouin approach and technology (HHTTM) was recently reported [26].

None of these examples is yet a working device having practical applications or commercial production. However, particularly when considered in aggregate, they provide further evidence that cold fusion may yet fulfill its potential as a source of energy.

In summary, a changing landscape for LENR is indicated by the substantial number of researchers, the accumulated body of research, and progress in developing theories. The recent emergence of academic research entities and the proposed LENR energy devices also seem to strengthen the cold fusion case. Three goals must be achieved for LENR and its benefits to be realized - more consistent reproducibility, fuller explanation of the process, and demonstration of its ability to produce usable amounts of energy. These goals may be achieved with affirmative policies for increased R&D support.

3. Policy Updates for LENR Support

The first policymaking opportunity resulting from LENR's changing landscape is revision of current policies for LENR support. Updates in these policies may best be accomplished in a framework of evidence-based policymaking [27,28]. The policy options are:

- (1) Discontinue research entirely (unlikely given the continuing interest).
- (2) Business as usual – continued marginalization.
- (3) Reinstatement and development with other emerging energy technologies.
- (4) Enhanced support, perhaps on a par with hot fusion.
- (5) Crash program, possibly like the Manhattan Project during World War II, to realize LENR's benefits.

Selecting the alternative that best serves the public interest may be challenging because of the history and continuing rejection of LENR. Policymaking is further complicated by a need for improved reproducibility and a better explanation of the LENR phenomenon. To deal with these complications, LENR policy may be analyzed and established in terms of level of evidence for its existence:

- (1) Preponderance of evidence (>50% probability).
- (2) Clear and convincing evidence (>70%).
- (3) Beyond a reasonable doubt (>90%).

The level of evidence may then be further interpreted for decisions on appropriate policy responses. At least a preponderance of evidence may reasonably be inferred from the large number researchers, the major body of evidence that has been accumulated, and the progress in achieving LENR explanation. Clear and convincing evidence is indicated by the emergence of LENR-dedicated research centers at several universities and by the significant number of proposed devices that purport to produce energy from LENR. When an adequate explanation is achieved (or reliable empirical devices emerge), it may be asserted that the evidence is sufficient to demonstrate LENR beyond a reasonable doubt.

Policy responses (PR) to these proposed levels of evidence may also be suggested. If LENR is indicated with a preponderance of evidence, it should be fully reinstated and pursued with other emerging energy technologies. If there is clear and convincing evidence, a higher level of support is needed, perhaps comparable to hot fusion support over the past five decades. If LENR is indicated beyond a reasonable doubt, it may be appropriate to institute a crash program similar to the Manhattan Project, which resulted in the atomic bomb in World War II.

In summary, it appears based on the level of evidence that LENR should at a minimum be reinstated and researched fully. It may in fact warrant investigation and development at a level similar to hot fusion research. Figure 1 shows diagrammatically how the changing landscape of LENR leads to the need for policy updates for its support. The changing landscape began sometime after LENR's 1989 announcement and rejection (AR). The four lines of argument (4L) for its improved prospects led to a need for policy updates (NPU). The updates are founded on evidence-based policymaking (EBP). The five policy options (PO) are evaluated by the level of evidence (LOE) for LENR existence, leading to the appropriate policy responses (PR) – reinstate and research fully or provide more enhanced support.

4. Policies for Mitigating Adverse Secondary Impacts

The second policymaking opportunity resulting from LENR's changing landscape is to address potential adverse secondary impacts (ASI) with proactive planning. Broad deployment of LENR for energy supply may be expected to have major secondary impacts as a disruptive technology. Direct impacts are anticipated for all phases of the energy chain – supply, transport, storage, and consumption. Indirect impacts will be felt most by the components of society that are closely tied to the energy cycle, such as the affected sectors of the workforce and the communities that rely on energy activities (e.g., coal mining towns).




Figure 1. The Changing Landscape of LENR and Resulting Need for Policy Updates for Its Support. AR – Announcement and Rejection (1989); 4L – Four Lines of Argument; NPU – Need for Policy Updates; EBP – Evidence-Based Policymaking Framework; PO – Five Policy Options; LOE – Level of Evidence for LENR; PR – Policy Responses (Updates).

Technology Assessment (TA) is a mature and well-established method for addressing both direct and indirect secondary impacts and may readily be applied to cold fusion case [29,30]. The stages of a TA application are generally as follows:

- (1) Identify impacts.
- (2) Determined affected parties.
- (3) Develop mitigation strategy.
- (4) Define sources of assistance (e.g., agencies).
- (5) Engage representatives (e.g., advisory group).
- (6) Define mitigation measures (MM) for both direct and indirect impacts.
- (7) Develop and implement mitigation plan (MP).

TA enables proactive planning to mitigate impacts and has ample precedent for application to energy-related issues [31,32]. Figure 2 summarizes how the changing LENR landscape leads to the need for policies for mitigating adverse secondary impacts in addition to required policy updates for supporting LENR development. Adverse secondary impacts (ASI) are addressed by technology assessment methodology (TA). Mitigating measures (MM) are defined, leading to an overall mitigation plan (MP).




Figure 2. Illustration of Need for Policies to Mitigate Adverse Secondary Impacts Resulting from the Changing LENR Landscape. ASI – Adverse Secondary Impacts; TA – Technology Assessment Methodology; MM – Mitigating Measures; MP – Overall Mitigation Plan.

5. Opportunities for Integrating LENR Policies

A third policymaking opportunity for LENR is to integrate the policy actions and updates. For example, policies for mitigation planning for secondary impacts can be coordinated with the pace of LENR development and deployment. Policies can also be integrated among agencies at the national level, between the public and private sectors, and among nations.

5.1. Integration of mitigation planning with LENR development support

As LENR prospects improve as a result of increased support, mitigation planning can be adjusted for the changing imminence and rate of deployment. This adjustment would be necessary to achieve the objectives of proactive planning for mitigation. Figure 3 shows how the policy response for LENR development (PR) and resulting rate of deployment guides planning for mitigation (GP) as the overall plan (MP) is prepared.

5.2. Integration of LENR policies among agencies, nations, and the private sector

A focus on integrated LENR policymaking results in opportunities in several other policy areas. Public agency policy integration (PA) may take place at the local, state, and national levels and requires alignment and effective communication of the policymaking entities within the agencies. Formal arrangements, such as inter-agency agreements, may be used, or integration may be achieved by informal measures, such as regular inter-agency meetings. While these measures have been used to some extent by agencies for various issues in the past, they may become increasingly important as LENR deployment progresses.

LENR development – and dealing with its impacts – may be enhanced with stronger integration between the public and private components of society (PP). For example, LENR may benefit from government policies and measures to address “market failures”, in a similar vein to current laws and regulations for environmental protection. Existing programs, such as small-business research support and provisions for technology transfer from government labs to privately held companies, could increase in importance if the government becomes more active in LENR research. Public-private partnerships (PPPs) may provide another vehicle for supporting LENR development and realization. An improved stance among patent and trademark entities would also substantially enhance efforts in the private sector to realize the benefits of LENR. Opportunities may be found for integrating these policy changes and updates in the public and private aspects of LENR development.




Figure 3. The Pace of Mitigation Planning is Guided by Policies for LENR Development and the Resulting Rate of Its Deployment. GP – Guidance for Mitigation Planning.

At the international level, programs may be established for supporting LENR research (IN). As LENR reaches the stage of worldwide deployment, bilateral and multi-lateral agreements may be made or updated to enhance its availability. For example, the United Nations may implement programs for making small LENR units available in a dispersed manner in Third World nations. World Bank loans may be made to nations needing support in acquiring LENR technology for the benefit of human health and the environment. The World Trade Organization may consider LENR and its humanitarian benefits for special rulemaking to enhance availability worldwide. Again, opportunities may be found for integration of policy changes or updates among these international entities.

5.3. Summary path to updated and integrated LENR policies

As policies are updated for LENR support and for mitigating adverse secondary impacts, and as they are integrated at various levels, the public interest will be served for the humanitarian benefits of LENR. Figure 4 illustrates the full path from the present situation of LENR's changing landscape to the prospective future of fully updated and integrated LENR policies. Integrated policymaking (IPM) is the foundation for public agency (PA), public-private (PP), and international (IN) policy integration. The desired result is fully updated and integrated policies (UIP) for LENR support and impact mitigation.

6. Benefits and Challenges of LENR Policy Integration

Achieving integration of LENR policies as updates are accomplished will have substantial public interest benefits. But many challenges must be overcome as well. LENR policy integration will help avoid conflicts and actions that are at cross-purposes among interested parties. Correspondingly, there will be increased

efficiency in achieving the policy objectives of the parties as well as increased cost effectiveness where entities have common interests. Policy integration may also achieve improved social equity, with more rational decisions and less influence of purely political considerations.

A principal challenge for policy update and integration is the historical barrier to LENR acceptance after its initial rejection. This barrier seems likely to be surmounted as LENR continues to be investigated and the evidence continues to show that it is real – and that its potential benefits are attainable. Another challenge is the sheer immensity of




Figure 4. Path to Updated and Integrated LENR Policies. IPM – Integrated Policymaking Framework; PA – Integration among Public Agencies; PP – Policy Coordination between Public and Private Sectors; IN – Integration among Nations at the International Level; UIP – Updated and Integrated LENR Policies.

the expected direct and indirect secondary impacts. Proactive planning to address these impacts will be a major undertaking. The existence of the long-standing and well-established energy policy framework may also present a barrier to effective LENR policies and their integration. This framework includes many conflicting interests and agendas that will have to be considered as policies are updated and integrated.

7. Summary and Conclusions

Despite being rejected not long after it was announced, LENR has continued to be pursued in many venues, resulting in improved prospects and the need for policy updates. Updates are needed both for support of LENR development and preparation to mitigate its anticipated adverse secondary impacts. As these updates are accomplished, there are opportunities to integrate the policies to support and realize LENR with mitigation planning for anticipated impacts. There are also policy integration opportunities among public and private entities and at many levels within nations and internationally. The benefits of updating and integrating LENR policies are substantial, but the challenges for doing so are also very large. Opportunities for policy updates and integration may be set forth conceptually, but realization in the “real world” will be much more difficult. Nevertheless, it is clear that the public interest will be served by updating LENR policies and achieving their integration.

References

- [1] International Society of Condensed Matter Nuclear Science. Date unknown. Online. Available: <http://www.iscmns.org/>
- [2] S. Wrbanek et al., NASA Glenn Research Center Experience with “LENR Phenomenon”, Presentation at Interagency Advanced Power Group (IAPG), Mechanical Working Group (MWG). May 2012.
- [3] P. Douglas and D. Wells et al., Low Energy Nuclear Reaction Aircraft – 2013 ARMD Seedling Fund Phase I Project. Langley Research Center, Hampton, Virginia. NASA/TM – 2014-218283, 2013.
- [4] LENR-CANR.org, a Library of Papers about Cold Fusion, Online, Available: http://lenr-canr.org/wordpress/?page_id=1213.
- [5] E. Storms, Science of low energy nuclear reaction: a comprehensive compilation of evidence and explanations about cold fusion, World Scientific, Singapore, Tables 2, 6, 8, 11, 2007.
- [6] E. Storms and T. Grimshaw, Judging the validity of the Fleischmann–Pons effect, *J. Condensed Matter Nucl. Sci.* **3** (2010) 9–30.
- [7] I. Langmuir, Colloquium on pathological science. held at the Knolls research laboratory, December 181953, Reproduced as “Pathological Science”, *Phys. Today* **42**(10) (1989) 36–48.
- [8] C. Sagan, The fine art of baloney detection, Chapter 13 in *The Demon-Haunted World: Science as a Candle in the Dark*, Random House, New York, NY, 1995.
- [9] M. Shermer, *The Borderlands of Science – Where Sense Meets Nonsense*, Oxford Univ. Press, Oxford, UK, 2001.
- [10] P. Hagelstein and I. Chaudhary, Phonon models for anomalies in condensed matter nuclear science, *Current Sci.* **108**(4) (2015) 507–513.
- [11] E. Storms, *The Evaluation of Low Energy Nuclear Reaction: an Explanation of the Relationship between Observation and Explanation*, Infinite Energy Press, Concord, NH, 2014.
- [12] G. Hubler, Sidney Kimmel institute for nuclear renaissance, *Current Sci.* **108**(4) (2015) 562–564.
- [13] T. Scarbrough et al., The center to study the anomalous heat effects, Poster Presented at ICCF-19, Padua, Italy, April. 2015.
- [14] Y. Iwamura et al., The launch of a new plan on condensed matter nuclear science at Tohoku University, Paper Presented at ICCF-19. Padua, Italy, April 2015.
- [15] D. Hambling, Success for Andrea Rossi’s E-Cat cold fusion system, but mysteries remain, *Wired*, October 29, 2011.
- [16] G. Levi et al., Indication of anomalous heat energy production in a reactor device containing hydrogen loaded nickel powder, Cornell University Library arXiv, 2013.
- [17] G. Levi et al., Observation of abundant heat production from a reactor device and of isotopic changes of fuel, Unpublished manuscript, October 2014.

- [18] PRWire, PRNewswire, Industrial heat has acquired Andrea Rossi's E-Cat technology, Research Triangle Park, January 24, 2014.
- [19] A. Parkhomov and E. Belousova, Researches of the heat generator similar to high temperature Rossi reactor, Poster Presented at ICCF-19. Padua, Italy, April 2015.
- [20] M. McKubre, A Russian experiment: high temperature, nickel, natural hydrogen, *Infinite Energy*, Issue 120, March/April, 9–11, 2015.
- [21] Jiang, S., 2015. New Result of Anomalous Heat Production in Hydrogen-Nickel Metals at High Temperature. Presentation Posted at E-Cat World. www.e-catworld.com. May 30.
- [22] D. Nagel, Scientific and commercial overview of ICCF18, *Infinite Energy*, Issue 112, November/December 2013.
- [23] JET Energy Inc., undated. JET Energy NANOR©-type LANR Technology. Online available: <http://world.std.com/~mica/nanortechnology.htm>.
- [24] P. Hagelstein, On theory and science generally in connection with the Fleischmann–Pons experiment, *Infinite Energy*, Issue 108, . March/April 2013, pp. 5–12.
- [25] R. George et al., About Brillouin Corp, Online2014, a available: http://brillouinenergy.com/?page=home_page.
- [26] Brillouin Energy, HHTTM reactor and results, Poster at ICCF-19 Conference, Padua, Italy, April 2015.
- [27] T. Grimshaw, Evidence-based public policy toward cold fusion: rational choices for a potential alternative energy source, Austin, TX, Lyndon B. Johnson School of Public Affairs. Unpublished Professional Report, December 2008.
- [28] T. Grimshaw, Evidence-based public policy for support of cold fusion (LENR) development, Poster Presented at *17th Int. Conf. on Cold Fusion*, Daejeon, South Korea, August 2012.
- [29] T. Grimshaw, Public policy planning for broad deployment of cold fusion (LENR) for energy production, Paper FrM1-1, *17th Int. Conf. on Cold Fusion*, Daejeon, South Korea, August 2012.
- [30] T. Grimshaw, Cold fusion public policy: rational – and urgent – need for change, Presentation at 2014 Cold Fusion/LANR Colloquium at MIT, Cambridge, MA. March 2014.
- [31] White, L. Irvin et al., Energy from the West: summary report, US environmental protection agency, Prepared by Science and Public Policy Program, University of Oklahoma, Prepared for Office of Research and Development, EPA (600/9-79-027), August 1979.
- [32] L. Johns et al., A technology assessment of coal slurry pipelines. office of technology assessment, NTIS order #PB-278675, March 1978.